

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: -Issue date: 29/04/2025 - Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Vanilla Macaron
UFI	: 5TXC-K5PV-4002-NJWR
Product code	: -
Product group	: Perfume concentrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wick and Wax Supply Co. 201 Marvel Road 21801 SALISBURY USA (443) 206-8406 contact@wickandwaxsupplyco.com, www.wickandwaxsupplyco.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: ACETATE ANISYLE; ALDEHYDE CINNAMIQUE; benzaldehyde; benzyl benzoate; CEDRAMBER; DIACETYL; DAMACENONE; HELIOTROPINE; LIMONENE DROIT (+100);
	VELTOL
Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H317 - May cause an allergic skin reaction.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
	P330 - Rinse mouth.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P391 - Collect spillage.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	50 – 80	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzaldehyde	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	1 – 5	Acute Tox. 4 (Oral), H302
ETHYLENE BRASSYLATE	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	1 – 5	Aquatic Chronic 2, H411
VANILLINE	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	1 – 5	Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
RHODIAROME	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-2119958961- 24	1 – 5	Eye Irrit. 2, H319
ACETATE ANISYLE	CAS-No.: 104-21-2 EC-No.: 203-185-8 REACH-no: 01-2120104878- 50/	1 – 5	Skin Sens. 1B, H317
CEDRAMBER	CAS-No.: 19870-74-7 EC-No.: 243-384-7 REACH-no: 01-2120228335- 61	1 – 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
ALDEHYDE ANISIQUE	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	1 – 5	Aquatic Chronic 3, H412
VELTOL	CAS-No.: 118-71-8 EC-No.: 204-271-8	1 – 5	Acute Tox. 4 (Oral), H302
HELIOTROPINE	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.1 – 1	Skin Sens. 1B, H317
LIMONENE DROIT (+100)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223- 47-0007	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
BENZOATE HEXYLE	CAS-No.: 6789-88-4 EC-No.: 229-856-5	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
SALICYLATE ISOBUTYL	CAS-No.: 87-19-4 EC-No.: 201-729-9	0.1 – 1	Aquatic Chronic 2, H411 Aquatic Acute 1, H400 Acute Tox. 4 (Oral), H302
ALDEHYDE CINNAMIQUE	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.1 – 1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
DIACETYL	CAS-No.: 431-03-8 EC-No.: 207-069-8	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT RE 2, H373
DAMACENONE	CAS-No.: 23696-85-7 EC-No.: 245-833-2	< 0.1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.		
First-aid measures after skin contact First-aid measures after eye contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness 		
	persists.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after inhalation Symptoms/effects after ingestion	 May cause an allergic skin reaction. Swallowing a small quantity of this material will result in serious health hazard. 		

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
No additional information available			
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective ed	quipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
6.4. Reference to other sections			

See Section 8. Exposure controls and personal protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. 	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
Maximum storage period	: 12 months	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: Gourmand.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 110 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Alcohol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.114 (1.109 – 1.119)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index

: 1.552 (1.547 – 1.557)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Acute toxicity (dermal) : Hamful if swallowed. Acute toxicity (dermal) : Not classified Acute toxicity (idermal) : Not classified ALDEHYDE ANISIQUE (123-11-5) : LD50 oral : ALDEHYDE CINNAMIQUE (104-55-2) : LD50 oral : LD50 oral : D50 dermal : D50 dermal : LD50 oral : D50 oral : <th colspan="3">11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</th>	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
ATE CLP (oral)657.462 mg/kg bodyweightALDEHYDE ANISIQUE (123-11-5)LD50 oral3210 mg/kg bodyweightALDEHYDE CINNAMIQUE (104-55-2)LD50 oral2200 mg/kg bodyweightLD50 oral1100 mg/kg bodyweightLD50 oral100 mg/kg bodyweightbenzaldehyde (100-52-7)1430 mg/kg bodyweightLD50 oral1430 mg/kg bodyweightLD50 oral1.5 mg/l/4hbenzaldehyde (100-52-7)1.5 mg/l/4hLD50 oral1.5 mg/l/4hbenzyl benzoate (120-51-4)1.5 mg/l/4hbenzyl benzoate (120-51-4)1.60 mg/kg bodyweightLD50 oral1.60 mg/kg bodyweightDACETYL (431-03-8)1580 mg/kg bodyweightLD50 oral1.580 mg/kg bodyweightLD50 oral2900 mg/kg bodyweightLD50 oral2900 mg/kg bodyweightLD50 oral2000 mg/kg bodyweightHELOTROPINE (120-57-0)1LD50 oral2700 mg/kg bodyweightHELOTROPINE (120-57-0)1LD50 oral1440 mg/kg bodyweightKHCDIAROME (121-32-4)3000 mg/kg bodyweightRHODIAROME (121-32-4)3000 mg/kg bodyweightSALICYLATE ISOBUTYL (87-19-4)1	Acute toxicity (dermal) :	Not classified		
ALDEHYDE ANISIQUE (123-11-5) LD50 oral 3210 mg/kg bodyweight ALDEHYDE CINNAMIQUE (104-55-2) LD50 oral 2200 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight Db50 dermal 1100 mg/kg bodyweight Db50 dermal 1430 mg/kg bodyweight LD50 oral 1500 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/kdh benzyl benzoate (120-51-4) 1160 mg/kg bodyweight LD50 oral 1160 mg/kg bodyweight LD50 oral 1180 mg/kg bodyweight LD50 oral 1580 mg/kg bodyweight LD50 oral 2800 mg/kg bodyweight LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) 1440 mg/kg bodyweight LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) 1200 mg/kg bodyweight LD50 oral 3000 mg/kg bodyweight	Vanilla Macaron			
LD50 oral3210 mg/kg bodyweightALDEHYDE CINNAMIQUE (104-55-2)LD50 oral2200 mg/kg bodyweightLD50 oral1100 mg/kg bodyweightbenzaldehyde (100-52-7)LD50 oral1430 mg/kg bodyweightLD50 oral1430 mg/kg bodyweightLD50 oral1500 mg/kg bodyweightLC50 Inhalation - Rat (Dust/Mist)1.5 mg/l/4hbenzyl benzoate (120-51-4)LD50 oral1160 mg/kg bodyweightLC50 oral1580 mg/kg bodyweightLC50 oral1580 mg/kg bodyweightLC50 oral3 mg/l/4hDACETYL (431-03-8)1580 mg/kg bodyweightLC50 oral1580 mg/kg bodyweightLC50 oral2900 mg/kg bodyweightLC50 oral2900 mg/kg bodyweightLD50 oral2700 mg/kg bodyweightHELIOTROPINE (120-57-0)1440 mg/kg bodyweightLD50 oral1440 mg/kg bodyweightRHODLAROME (121-32-4)3000 mg/kg bodyweightLD50 oral3000 mg/kg bodyweight	ATE CLP (oral)	657.462 mg/kg bodyweight		
ALDEHYDE CINNAMIQUE (104-55-2) LD50 oral 2200 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight benzaldehyde (100-52-7) 1430 mg/kg bodyweight LD50 oral 1430 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LD50 oral 1.5 mg/l/4h benzyl benzoate (120-51-4) 1160 mg/kg bodyweight LD50 oral 1160 mg/kg bodyweight DIACETYL (431-03-8) 1160 mg/kg bodyweight LD50 oral 1580 mg/kg bodyweight LD50 oral 1580 mg/kg bodyweight LD50 oral 2900 mg/kg bodyweight LD50 oral 2900 mg/kg bodyweight LD50 dermal 2900 mg/kg bodyweight HELIOTROPINE (120-57-0) 1200 mg/kg bodyweight LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) 1440 mg/kg bodyweight LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) 3000 mg/kg bodyweight LD50 oral 3000 mg/kg bodyweight	ALDEHYDE ANISIQUE (123-11-5)	ALDEHYDE ANISIQUE (123-11-5)		
LD50 oral2200 mg/kg bodyweightLD50 dermal1100 mg/kg bodyweightbenzaldehyde (100-52-7)1430 mg/kg bodyweightLD50 oral1430 mg/kg bodyweightLD50 oral1430 mg/kg bodyweightLD50 oral1500 mg/kg bodyweightLC50 Inhalation - Rat (Dust/Mist)1.5 mg/l/4hbenzyl benzoate (120-51-4)1160 mg/kg bodyweightLD50 oral1160 mg/kg bodyweightDIACETYL (431-03-8)1580 mg/kg bodyweightLD50 oral1580 mg/kg bodyweightLC50 Inhalation - Rat (Vapours)3 mg/l/4hDAMACENONE (23696-85-7)1500 mg/kg bodyweightLD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)2700 mg/kg bodyweightLD50 oral1740 mg/kg bodyweightRHODIAROME (121-32-4)1440 mg/kg bodyweightRHODIAROME (121-32-4)3000 mg/kg bodyweightSALICYLATE ISOBUTYL (87-19-4)1000 mg/kg bodyweight	LD50 oral	3210 mg/kg bodyweight		
LD50 dermal1100 mg/kg bodyweightbenzaldehyde (100-52-7)LD50 oral1430 mg/kg bodyweightLD50 dermal2500 mg/kg bodyweightLD50 dermal2500 mg/kg bodyweightLC50 Inhalation - Rat (Dust/Mist)1.5 mg/l/4hbenzyl benzoate (120-51-4)1160 mg/kg bodyweightLD50 oral1160 mg/kg bodyweightDJACETYL (431-03-8)1580 mg/kg bodyweightLD50 oral1580 mg/kg bodyweightDJACETYL (431-03-8)3 mg/l/4hD50 oral1580 mg/kg bodyweightDJACETYL (431-03-8)2900 mg/kg bodyweightLD50 oral2900 mg/kg bodyweightD50 oral2900 mg/kg bodyweightDAMACENONE (23696-85-7)1000 mg/kg bodyweightLD50 oral2900 mg/kg bodyweightHELIOTROPINE (120-57-0)1200 mg/kg bodyweightLD50 oral2700 mg/kg bodyweightVELTOL (118-71-8)1440 mg/kg bodyweightLD50 oral1440 mg/kg bodyweightSALICYLATE ISOBUTYL (87-19-4)3000 mg/kg bodyweight	ALDEHYDE CINNAMIQUE (104-55-2)			
benzaldehyde (100-52-7) LD50 oral 1430 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h benzyl benzoate (120-51-4) 1160 mg/kg bodyweight LD50 oral 1160 mg/kg bodyweight DJACETYL (431-03-8) 1160 mg/kg bodyweight LD50 oral 1580 mg/kg bodyweight LC50 Inhalation - Rat (Vapours) 3 mg/l/4h DAMACENONE (23696-85-7) 2900 mg/kg bodyweight LD50 oral 2900 mg/kg bodyweight HELIOTROPINE (120-57-0) 2700 mg/kg bodyweight VELTOL (118-71-8) 2700 mg/kg bodyweight LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) 2700 mg/kg bodyweight LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) 3000 mg/kg bodyweight SALICYLATE ISOBUTYL (87-19-4) 3000 mg/kg bodyweight	LD50 oral	2200 mg/kg bodyweight		
LD50 oral1430 mg/kg bodyweightLD50 dermal2500 mg/kg bodyweightLC50 Inhalation - Rat (Dust/Mist)1.5 mg/l/4hbenzyl benzoate (120-51-4)LD50 oral1160 mg/kg bodyweightDIACETYL (431-03-8)LD50 oral1580 mg/kg bodyweightLC50 Inhalation - Rat (Vapours)3 mg/l/4hDAMACENONE (23696-85-7)LD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)LD50 oral2700 mg/kg bodyweightVELTOL (118-71-8)LD50 oral1440 mg/kg bodyweightRHODIAROME (121-32-4)LD50 oral3000 mg/kg bodyweight	LD50 dermal	1100 mg/kg bodyweight		
LD50 dermal2500 mg/kg bodyweightLC50 Inhalation - Rat (Dust/Mist)1.5 mg/l/4hbenzyl benzoate (120-51-4)LD50 oral1160 mg/kg bodyweightDIACETYL (431-03-8)LD50 oral1580 mg/kg bodyweightLC50 Inhalation - Rat (Vapours)3 mg/l/4hDAMACENONE (23696-85-7)LD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)LD50 oral2700 mg/kg bodyweightVELTOL (118-71-8)LD50 oral1440 mg/kg bodyweightRHODIAROME (121-32-4)LD50 oral3000 mg/kg bodyweight	benzaldehyde (100-52-7)			
LC50 Inhalation - Rat (Dust/Mist)1.5 mg/l/4hbenzyl benzoate (120-51-4)LD50 oral1160 mg/kg bodyweightDIACETYL (431-03-8)LD50 oral1580 mg/kg bodyweightLD50 oral1580 mg/kg bodyweightLC50 Inhalation - Rat (Vapours)3 mg/l/4hDAMACENONE (23696-85-7)LD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)LD50 oral2700 mg/kg bodyweightVELTOL (118-71-8)LD50 oral1440 mg/kg bodyweightRHODIAROME (121-32-4)LD50 oral3000 mg/kg bodyweight	LD50 oral	1430 mg/kg bodyweight		
benzyl benzoate (120-51-4) LD50 oral 1160 mg/kg bodyweight DIACETYL (431-03-8) LD50 oral 1580 mg/kg bodyweight LD50 oral 1580 mg/kg bodyweight LC50 Inhalation - Rat (Vapours) 3 mg/l/4h DAMACENONE (23696-85-7) LD50 dermal LD50 dermal 2900 mg/kg bodyweight HELIOTROPINE (120-57-0) LD50 oral LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) LD50 oral LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral LD50 oral 3000 mg/kg bodyweight	LD50 dermal	2500 mg/kg bodyweight		
LD50 oral1160 mg/kg bodyweightDIACETYL (431-03-8)LD50 oral1580 mg/kg bodyweightLD50 oral1580 mg/kg bodyweightDAMACENONE (23696-85-7)LD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)LD50 oral2700 mg/kg bodyweightVELTOL (118-71-8)LD50 oral1440 mg/kg bodyweightRHODIAROME (121-32-4)LD50 oral3000 mg/kg bodyweightSALICYLATE ISOBUTYL (87-19-4)	LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h		
DIACETYL (431-03-8) LD50 oral 1580 mg/kg bodyweight LC50 Inhalation - Rat (Vapours) 3 mg/l/4h DAMACENONE (23696-85-7) LD50 dermal 2900 mg/kg bodyweight HELIOTROPINE (120-57-0) LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight	benzyl benzoate (120-51-4)			
LD50 oral1580 mg/kg bodyweightLC50 Inhalation - Rat (Vapours)3 mg/l/4hDAMACENONE (23696-85-7)LD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)LD50 oral2700 mg/kg bodyweightVELTOL (118-71-8)LD50 oral1440 mg/kg bodyweightRHODIAROME (121-32-4)LD50 oral3000 mg/kg bodyweightSALICYLATE ISOBUTYL (87-19-4)	LD50 oral	1160 mg/kg bodyweight		
LC50 Inhalation - Rat (Vapours) 3 mg/l/4h DAMACENONE (23696-85-7) 2900 mg/kg bodyweight LD50 dermal 2900 mg/kg bodyweight HELIOTROPINE (120-57-0) 2700 mg/kg bodyweight LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) 1440 mg/kg bodyweight LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) 3000 mg/kg bodyweight SALICYLATE ISOBUTYL (87-19-4) 1440 mg/kg bodyweight	DIACETYL (431-03-8)			
DAMACENONE (23696-85-7) LD50 dermal 2900 mg/kg bodyweight HELIOTROPINE (120-57-0) LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight	LD50 oral	1580 mg/kg bodyweight		
LD50 dermal2900 mg/kg bodyweightHELIOTROPINE (120-57-0)LD50 oral2700 mg/kg bodyweightLD50 oral1400 mg/kg bodyweightVELTOL (118-71-8)LD50 oral1440 mg/kg bodyweightRHODIAROME (121-32-4)3000 mg/kg bodyweightLD50 oral3000 mg/kg bodyweight	LC50 Inhalation - Rat (Vapours)	3 mg/l/4h		
HELIOTROPINE (120-57-0) LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE ISOBUTYL (87-19-4)	DAMACENONE (23696-85-7)			
LD50 oral 2700 mg/kg bodyweight VELTOL (118-71-8) LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE ISOBUTYL (87-19-4)	LD50 dermal	2900 mg/kg bodyweight		
VELTOL (118-71-8) LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE ISOBUTYL (87-19-4)	HELIOTROPINE (120-57-0)			
LD50 oral 1440 mg/kg bodyweight RHODIAROME (121-32-4) ID50 oral SALICYLATE ISOBUTYL (87-19-4) 3000 mg/kg bodyweight	LD50 oral	2700 mg/kg bodyweight		
RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight	VELTOL (118-71-8)			
LD50 oral 3000 mg/kg bodyweight SALICYLATE ISOBUTYL (87-19-4)	LD50 oral	1440 mg/kg bodyweight		
SALICYLATE ISOBUTYL (87-19-4)	RHODIAROME (121-32-4)			
	LD50 oral	3000 mg/kg bodyweight		
LD50 oral 1310 mg/kg bodyweight	SALICYLATE ISOBUTYL (87-19-4)			
	LD50 oral	1310 mg/kg bodyweight		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VANILLINE (121-33-5)	
LD50 oral	3300 mg/kg bodyweight
LD50 dermal	2600 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
DIACETYL (431-03-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not classified
Additional information	: Based on available data, the classification criteria are not met
LIMONENE DROIT (+100) (5989-27-5)	
Viscosity, kinematic	1.3 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	
11.2.2. Other information	
Potential adverse human health effects and	: Harmful if swallowed.

	otei	iuai	au	ve
s	ymp	tom	S	

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water Hazardous to the aquatic environment, short–term (acute)	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
12.2. Persistence and degradability	
Vanilla Macaron	
Persistence and degradability	May cause long-term adverse effects in the environment.

Persistence and degradability May cause long-term adverse effects in the environment.		
ALDEHYDE ANISIQUE (123-11-5)		
Persistence and degradability Not established.		
benzyl benzoate (120-51-4)		
Persistence and degradability May cause long-term adverse effects in the environment.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DIACETYL (431-03-8)	
Persistence and degradability	Not established.
DAMACENONE (23696-85-7)	
Persistence and degradability	May cause long-term adverse effects in the environment.
LIMONENE DROIT (+100) (5989-27-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.
ETHYLENE BRASSYLATE (105-95-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.
VANILLINE (121-33-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Vanilla Macaron	
Bioaccumulative potential	Not established.
ALDEHYDE ANISIQUE (123-11-5)	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Bioaccumulative potential	Not established.
DIACETYL (431-03-8)	
Bioaccumulative potential	Not established.
DAMACENONE (23696-85-7)	
Bioaccumulative potential	Not established.
LIMONENE DROIT (+100) (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.57
Bioaccumulative potential	Not established.
ETHYLENE BRASSYLATE (105-95-3)	
Bioaccumulative potential	Not established.
VANILLINE (121-33-5)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG)	: UN 3082 : UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (benzyl benzoate), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR


Transport hazard class(es) (ADR) Danger labels (ADR)




IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

IATA Transport hazard class(es) (IATA) Danger labels (IATA)





Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADN Transport hazard class(es) (ADN) Danger labels (ADN)	
RID Transport hazard class(es) (RID) Danger labels (RID)	
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	: III : III : III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	YesYesNo supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Hazard identification number (Kemler No.) Orange plates	: TP1, TP29 : LGBV : AT : 3 : V12
Tunnel restriction code (ADR)	: -
EAC code Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG)	: •3Z : 274, 335, 969 : 5 L : E1 : LP01, P001 : PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	: IBC03 : T4 : TP1, TP29 : F-A : S-F : A
Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: E1 : Y964 : 30kgG : 964 : 450L : 964 : 450L : 450L : A97, A158, A197, A215 : 9L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID) Tank codes for RID tanks (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID)	
Colis express (express parcels) (RID) Hazard identification number (RID)	: CE8 : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Contains sensitizing substances according TRGS 907. Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	 None of the components are listed
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other i	information
Data sources Other information	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. None.
Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.